

product name

Flexible LED Strips GP-5050FXWP30

product desc

Name?Flexible LED Strips GP-5050FXWP30

Model?GP-5050FXWP30-12R

Description?

Emitting Color:Red

Led QTY/M :60

D/TCC :620-625

Illuminous Flux(LM)/m:240

Viewing Angle:120

Operating Voltage(V):DC12

Power Dissipation(W)/m Max:7.2

Standard Packing:5m/Reel

Similar LED strip products

PART NUMBER	EMITTING COLOR	LED QTY/m	d/TCC
GP-5050FXWP15-12R	RED	30	620-625
GP-5050FXWP15-12Y	YELLOW	30	587-592
GP-5050FXWP15-12G	GREEN	30	518-525
GP-5050FXWP15-12B	BLUE	30	465-470
GP-5050FXWP15-12W	WHITE	30	6500-7200
GP-5050FXWP15-12WW	WARM WHITE	30	3000-3300
PART NUMBER	EMITTING COLOR	LED QTY/m	d/TCC
GP-5050FXWP15J-12R	RED	30	620-625
GP-5050FXWP15J-12Y	YELLOW	30	587-592
GP-5050FXWP15J-12G	GREEN	30	518-525
GP-5050FXWP15J-12B	BLUE	30	465-470
GP-5050FXWP15J-12W	WHITE	30	6500-7200
GP-5050FXWP15J-12WW	WARM WHITE	30	3000-3300
PART NUMBER	EMITTING COLOR	LED QTY/m	d/TCC
GP-5050FXWP30-12R	RED	60	620-625
GP-5050FXWP30-12Y	YELLOW	60	587-592
GP-5050FXWP30-12G	GREEN	60	518-525
GP-5050FXWP30-12B	BLUE	60	465-470
GP-5050FXWP30-12W	WHITE	60	6500-7200
GP-5050FXWP30-12WW	WARM WHITE	60	3000-3300

Flexible LED strip light, mainly applied to the building outline lights, entertainment quasi-decorative lighting, advertisement decorative lighting and for other purposes. Enjoying excellent waterproof performance. low-voltage DC

power supply and diverse illuminating colors. it is safe and convenient to use.
made from the FPC board. LED lights highquality silicone sleeve.
to UV aging. high temperature. and yellowing when used outdoors

