

product name

Flexible LED strips GP5050FX15C

product desc

**Name?**Flexible LED strips GP5050FX15C

**Model?**GP-5050FX15C-12Y

**Description?**

Emitting Color :Yellow

Led QTY/M :30

d/TCC :587-592

Illuminous Flux(LM)/m :110

Viewing Angle :120

Operating Voltage(V):DC12

Power Dissipation(W)/m Max :7.2

Standard Packing:5m/Reel

Similar LED strip products

PART NUMBER	EMITTING COLOR	LED QTY/m	d/
GP-5050FX15C-12R	RED	30	62
GP-5050FX15C-12Y	YELLOW	30	58
GP-5050FX15C-12G	GREEN	30	51
GP-5050FX15C-12B	BULE	30	46
GP-5050FX15C-12W	WHITE	30	6500
GP-5050FX15C-12WW	WARM WHITE	30	3000
PART NUMBER	EMITTING COLOR	LED QTY/m	d/
GP-5050FXWP15C-12R	RED	30	62
GP-5050FXWP15C-12Y	YELLOW	30	58
GP-5050FXWP15C-12G	GREEN	30	51
GP-5050FXWP15C-12B	BULE	30	46
GP-5050FXWP15C-12W	WHITE	30	6500
GP-5050FXWP15C-12WW	WARM WHITE	30	3000
PART NUMBER	EMITTING COLOR	LED QTY/m	d/
GP-5050FXWP15CJ-12R	RED	30	62
GP-5050FXWP15CJ-12Y	YELLOW	30	58
GP-5050FXWP15CJ-12G	GREEN	30	51
GP-5050FXWP15CJ-12B	BULE	30	46
GP-5050FXWP15CJ-12W	WHITE	30	6500
GP-5050FXWP15CJ-12WW	WARM WHITE	30	3000

Flexible LED strip light, mainly applied to the building outline lights, entertainment quasi-decorative lighting, advertisement decorative lighting for other purposes. Enjoying excellent waterproof performance. Low power supply and diverse illuminating colors. It is safe and convenient, made from the FPC board. LED lights high quality silicone sleeve. Resistant to UV aging, high temperature, and yellowing when used outdoors.

