product name LED Great Wall Strips GP-L3FXWP48 product desc

Name?LED Great Wall Strips GP-L3FXWP48

Model?GP-5050FX15C-12Y

Description?

Emitting Color: Green

Led QTY/M:96

D/TCC:518-525

Iluminous Flux(LM)/m:160

Viewing Angle:90

Operating Voltage(V):DC12

Power Dissipation(W)/m Max:7.68

Standard Packing:0.96mm

Similar LED strip products

PART NUMBER	EMITTING COLOR	LED QTY/m	d/TCC
GP-L5FR18-12R	RED	18	620-625
GP-L5FR18-12Y	YELLOW	18	587-592
GP-L5FR18-12G	GREEN	18	518-525
GP-L5FR18-12B	BULE	18	465-470
GP-L5FR18-12W	WHITE	18	6500-720
GP-L5FR18-12WW	WARM WHITE	18	3000-330
PART NUMBER	EMITTING COLOR	LED QTY/m	d/TCC
GP-L3FXWP48-12R	FED	96	620-625
GP-L3FXWP48-12Y	YELLOW	96	587-592
GP-L3FXWP48-12G	GREEN	96	518-525
GP-L3FXWP48-12B	BULE	96	465-470
GP-L3FXWP48-12W	WHITE	96	6500-720
GP-L3FXWP48-12WW		96	3000-330
PART NUMBER	EMITTING COLOR	LED QTY/m	d/TCC
GP-L5FXWP48-12R	RED.	96	620-625
GP-L5FXWP48-12Y	YELLOW	96	587-592
GP-L5FXWP48-12G	GREEN	96	518-525
GP-L5FXWP48-12B	BULE	96	465-470
GP-L5FXWP48-12W	WHITE	96	6500-720
GP-L5FXWP48-12WW		96	3000-330

Flexible LED strip light, mainly applied to the building outlinelights, entertainment quasi-decorative lighting. advertisement decorative lighting and for other purposes .Enjoying excellent waterproof performance. low-voltage DC

power supply and diverse illuminating colors. it is safe and convenient to use. made from the FPC board. LED lights highquality silicone sleve. to UV aging. high temperature. and yellowing when used outdoors